

## MANDATORY PUBLIC DISCLOSURE

### A. GENERAL INFORMATION

SL. NO.	INFORMATION	DETAILS
1.	NAME OF THE SCHOOL	DOON PUBLIC SEN. SEC. SCHOOL KALYAN SUKHA
2.	AFFILIATION NO.	1630486
3.	SCHOOL CODE	20477
4.	COMPLETE ADDRESS WITH PIN CODE	DOON PUBLIC SEN. SEC. SCHOOL KALYAN SUKHA MAIN BHAGTA ROAD THE NATHANA, DIST. BATHINDA 151102
5.	PRINCIPAL NAME & QUALIFICATION	MR. RAJAN KHURANA, M.A. ENGLISH, MSC IT., B.COM., B.ED.
6.	SCHOOL EMAIL ID	<a href="mailto:schooldoonks@gmail.com">schooldoonks@gmail.com</a>
7.	CONTACT DETAILS (LANDLINE/ MOBILE)	0164- 2750111, +91 8284843799

**B. DOCUMENTS AND INFORMATION**

SL. NO.	DOCUMENTS/ INFORMATION	UPLOAD DOCUMENTS
1.	COPIES OF AFFILIATION/ UPGRADATION LETTER AND RECENT EXTENSUIN OF AFFILIATION	YES
2.	COPIES OF SOCIETY/ TRUST/COMPANY REGISTRATION/ RENEWAL CERTIFICATE	YES
3.	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	YES
4.	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	YES
5.	COPY OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	YES

### C. RESULTS AND ACADEMICS

S.NO.	DOCUMENT/INFORMATION	UPLOAD DOCUMENTS
1.	ANNUAL ACADEMIC CALANDER	YES
2.	LISTOF PARENT TEACHERS ASSOCIATION (PTA) MEMBERS	YES
3.	LAST THREE- YEAR RESULT OF THE BOARD EXAMINATION	YES

#### RESULT CLASS:- X

S. NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1.	2025	88	83	94.31%	.....
2.	2024	80	77	96.25%	.....
3.	2023	94	91	96.81%	.....

#### RESULT CLASS:- XII

S. NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1.	2025	86	72	83.72%	.....
2.	2024	69	63	91.3%	.....
3.	2023	83	67	80.72%	.....

D. STAFF (TEACHING)

S.NO.	INFORMATION	DETAILS
1	PRINCIPAL	MR. RAJAN KHURANA QUALIFICATION- M.A. ENGLISH, MSC. IT, B.COM., B.Ed.
2	TOTAL NO. OF TEACHERS	45
	PGT	13
	TGT	15
	PRT	17
3	TEACHERS SECTION RATIO	1.5
4	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	01

#### E. SCHOOL INFRASTRUCTURE

S.NO.	INFORMATION	DETAILS
1.	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	12752 SQ. M.
2.	NO. AND SIZE OF CLASS ROOMS (IN SQ F MTR)	34, 48 SQ M.
3.	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	05 , 54 SQ.M.
4.	INTERNET FACILITY (Y/N)	YES
5.	NO. OF GIRLS TOILETS	06
6.	NO. OF BOYS TOILETS	06

**The Manager,**  
**DOON PUBLIC SCHOOL VPO KALYAN SUKHA BATHINDA PB**  
**NATHANA-BHAGTA MAIN ROAD,VPO KALYAN SUKHA TEH & DISTT BATHINDA**  
**PUNJAB,BATHINDA, 151001**  
**(M: 0164-2750111)**

**SUBJECT: -Extension of General Affiliation up to Senior Secondary Level.**

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

<b>Affiliation No used as User ID for both OASIS and LOC/Registration System</b>	<b>1630486</b>
<b>School No</b>	20477
<b>Affiliated for</b>	Extension of General Affiliation
<b>Category</b>	Extension of Affiliation
<b>Period of affiliation</b>	01.04.2023 to 31.03.2028

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school is required to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

**“The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms”.**

**DEPUTY SECRETARY/JOINT SECRETARY (AFF.)**

**ENROLMENT TABLE**

<b>SN</b>	<b>Location of School</b>	<b>Campus area</b>	<b>Affiliation Allowed</b>	<b>Optimum No. of Sections (From classes I/VI to X/XII)</b>
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	<b>Up to Class-XII</b> The number of sections shall be restricted in accordance with ‘H’ above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
· The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.				
· The number of sections and students shall be restricted as per the actual facilities in the school.				
· For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet				

**Important Notes : NA**

*This is an electronically generated document. It does not need any signature.  
To verify the authenticity of the document , please visit (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

D-1-210

# Certificate of Registration of Societies

(ACT XXI OF 1860)  
No. 267 of 2005.

I hereby certify that... *Baba Badh Ram Parkash Ji*.....  
*Educational Society, Vill. Kaljan S. K. Kh.*.....

**Distt. Bathinda, has this day been registered under the societies Registration Act. (XXI of 1860) and as amended by Punjab Amendment Act. 1957.**



**Given under my hand Bathinda this... 9...th.....**  
**day of... Nov... two thousand... Five.....**

**Fee Rs. 500/-**

*[Signature]*  
**Additional Registrar of Societies**  
**(Punjab) Bathinda.**  
**Ph. 0164-2212951, 2221138**

ਵੱਲ,

Principal,  
Doon Public Senior Secondary School  
Village Kalayan Sukha, Tehsil Nathana  
Distt. Bathinda.

ਮਿਤੀ: 6/5/2025

ਨੰ: 1094

ਵਿਸ਼ਾ: ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਵਿਸ਼ੇ ਅੰਕਿਤ ਸਕੂਲ ਦੀ ਇਮਾਰਤ ਦਾ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2025-26 ਲੈਣ ਲਈ ਆਪ ਵੱਲੋਂ ਇਸ ਦਫਤਰ ਵਿਖੇ ਪ੍ਰਾਪਤ ਹੋਇਆ ਹੈ। ਆਪਦੇ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਦੀ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਦੇ ਦਫਤਰ ਵੱਲੋਂ ਵਿਜ਼ੁਅਲੀ ਇੰਸਪੈਕਸ਼ਨ ਕੀਤੀ ਗਈ ਅਤੇ ਉਨ੍ਹਾਂ ਦੀ ਰਿਪੋਰਟ/ਸਿਫਾਰਿਸ਼ ਅਨੁਸਾਰ ਨਿਮਨਲਿਖਤ ਨਿਰੀਖਣਾਂ ਅਤੇ ਸ਼ਰਤਾਂ ਅਧੀਨ ਸਾਲ 2025-26 ਦਾ ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ:-

- 1 ਸਕੂਲ ਕੋਲ ਕਿਸੇ ਅਣਸੁਖਾਵੀਂ ਘਟਨਾ ਨਾਲ ਨਜਿੱਠਣ ਲਈ ਯੋਜਨਾ ਹੋਣੀ ਚਾਹੀਦੀ ਹੈ, ਜਿਸ ਵਿੱਚ ਐਮਰਜੈਂਸੀ ਦੌਰਾਨ ਬੱਚਿਆਂ ਨੂੰ ਬਿਲਡਿੰਗ ਵਿੱਚੋਂ ਸੁਰੱਖਿਅਤ ਬਾਹਰ ਕੱਢਣਾ ਅਤੇ ਸਬੰਧਤ ਵਿਭਾਗ ਨਾਲ ਤਾਲਮੇਲ ਕਰਨ ਦੀ ਯੋਜਨਾ ਹੋਣੀ ਚਾਹੀਦੀ ਹੈ। ਸਕੂਲ ਨੂੰ ਇਸ ਯੋਜਨਾ ਦੀ ਪ੍ਰਭਾਵਸ਼ੀਲਤਾ ਨੂੰ ਯਕੀਨੀ ਬਣਾਉਣ ਲਈ ਨਿਯਮਿਤ ਤੌਰ ਤੇ ਸਮੀਖਿਆ ਅਤੇ ਅੱਪਡੇਟ ਕਰਦੇ ਰਹਿਣਾ ਚਾਹੀਦਾ ਹੈ।
- 2 ਜੇਕਰ ਸਕੂਲ ਵੱਲੋਂ ਇਸ ਇਮਾਰਤ ਵਿੱਚ ਕੋਈ ਵਾਧਾ, ਤਬਦੀਲੀ, ਵਿਸਤਾਰ ਅਤੇ ਸੇਧ ਦੀ ਲੋੜ ਹੈ ਜਾਂ ਕੀਤੇ ਜਾਣੇ ਹਨ ਤਾਂ ਇਸ ਦਫਤਰ ਦੀ ਤੁਰੰਤ ਜਾਂਚ ਦਾ ਪ੍ਰਬੰਧ ਕੀਤਾ ਜਾਣਾ ਚਾਹੀਦਾ ਹੈ ਅਤੇ ਉਸ ਹਿੱਸੇ ਨੂੰ ਮੁਕੰਮਲ ਕਰਕੇ ਉਸ ਦਾ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਇਸ ਦਫਤਰ ਪਾਸੋਂ ਫਿਰ ਤੋਂ ਲਿਆ ਜਾਵੇ।
- 3 ਜੇਕਰ ਬਿਲਡਿੰਗ ਦੀਆਂ ਕੰਧਾਂ, ਨੀਰਾਂ ਅਤੇ ਛੱਤਾਂ ਕੁਦਰਤੀ ਆਫ਼ਤ ਜਾਂ ਕਿਸੇ ਹੋਰ ਕਾਰਨ ਕਰਕੇ ਬੈਠ ਜਾਣ ਤਾਂ ਇਸ ਸੂਰਤ ਵਿੱਚ ਸਕੂਲ ਵੱਲੋਂ ਇਸ ਦਫਤਰ ਨੂੰ ਤੁਰੰਤ ਬਿਲਡਿੰਗ ਦੀ ਹਾਲਤ ਬਾਰੇ ਸੂਚਿਤ ਕੀਤਾ ਜਾਵੇ ਅਤੇ ਨਿਰੀਖਣ ਕਰਵਾਉਣ ਉਪਰੰਤ ਹੀ ਬਿਲਡਿੰਗ ਨੂੰ ਵਰਤੋਂ ਵਿੱਚ ਲਿਆ ਜਾਵੇ।
- 4 ਸਬੰਧਤ ਵਿਭਾਗ ਤੋਂ ਵੱਖਰੇ ਤੌਰ ਤੇ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ, ਇਲੈਕਟ੍ਰੀਕਲ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਪ੍ਰਾਪਤ ਕੀਤਾ ਜਾਵੇ।
- 5 ਸਕੂਲ ਬਿਲਡਿੰਗ ਦੀ ਸੇਫਟੀ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਬਿਲਡਿੰਗ ਦੀ ਰਿਪੇਅਰ ਕਰਵਾਉਣ ਦੀ ਜ਼ਿੰਮੇਵਾਰੀ ਸਕੂਲ ਪ੍ਰਬੰਧਨ ਦੀ ਹੈ। ਇਸ ਰਿਪੋਰਟ ਦੇ ਬਾਵਜੂਦ ਸਕੂਲ ਪ੍ਰਬੰਧਨ ਸਾਰੇ ਪੱਖਾਂ ਤੋਂ ਬਿਲਡਿੰਗ ਦੀ ਸੁਰੱਖਿਆ ਲਈ ਜ਼ਿੰਮੇਵਾਰ ਹੈ।
- 6 ਨਿਰਮਾਣ ਆਰਕੀਟੈਕਟਸ (ਇੰਜ. ਨਵਰਾਜ ਸਿੰਘ ਗਰੇਵਾਲ) ਵੱਲੋਂ ਮਿਤੀ: 22.04.2025 ਨੂੰ ਸਟਰੱਕਚਰ ਸੁਰੱਖਿਆ ਸਰਟੀਫਿਕੇਟ ਦਿੱਤਾ ਗਿਆ ਹੈ ਅਤੇ ਉਨ੍ਹਾਂ ਦੇ ਸਰਟੀਫਿਕੇਟ ਅਨੁਸਾਰ ਸਕੂਲ ਸੈਸ਼ਨ 2025-26 ਲਈ ਵਰਤੋਂ ਲਈ ਸੁਰੱਖਿਅਤ ਹੈ, ਪਰੰਤੂ ਇਸ ਸਕੂਲ ਦਾ ਨਿਰਮਾਣ ਇਸ ਵਿਭਾਗ ਵੱਲੋਂ ਨਹੀਂ ਕੀਤਾ ਗਿਆ ਹੈ, ਇਸ ਲਈ ਇਸ ਵਿਭਾਗ ਦੁਆਰਾ ਸਕੂਲ ਦੀ ਸਟਰੱਕਚਰ ਦੀ ਸੇਫਟੀ ਖਾਸ ਕਰਕੇ ਭੂਚਾਲ ਦੇ ਦ੍ਰਿਸ਼ਟੀਕੋਣ ਤੋਂ ਯਕੀਨੀ ਨਹੀਂ ਬਣਾਈ ਜਾ ਸਕਦੀ ਹੈ।
- 7 ਸਕੂਲ ਨੂੰ ਸਟਾਫ ਮੈਂਬਰਾਂ ਨੂੰ ਉੱਚਿਤ ਸੁਰੱਖਿਆ ਸਿਖਲਾਈ ਪ੍ਰਦਾਨ ਕਰਨੀ ਚਾਹੀਦੀ ਹੈ, ਜਿਸ ਵਿੱਚ ਐਮਰਜੈਂਸੀ, ਫਸਟ ਏਡ ਅਤੇ ਨਿਕਾਸੀ ਪ੍ਰੋਟੋਕੋਲ ਨੂੰ ਸੰਭਾਲਣ ਦੀਆਂ ਪ੍ਰਕਿਰਿਆਵਾਂ ਵੀ ਸ਼ਾਮਲ ਹਨ।
- 8 ਸਕੂਲ ਦੇ ਕਵਰਡ ਏਰੀਏ ਦੇ ਹਿਸਾਬ ਨਾਲ ਚਲਾਨ ਨੰ: 17357570 ਮਿਤੀ: 05.05.2025 ਰਾਹੀਂ ਦਸ ਹਜ਼ਾਰ ਰੁਪਏ ( 10,000/-) ਬਿਲਡਿੰਗ ਨਿਰੀਖਣ ਫੀਸ ਵਜੋਂ ਜਮ੍ਹਾਂ ਕਰਵਾ ਦਿੱਤੇ ਗਏ ਹਨ। ਸਕੂਲ ਦਾ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਮਿਤੀ: 28.11.2025 ਤੱਕ ਵੈਲਿਡ ਹੈ ਅਤੇ ਸਕੂਲ ਪ੍ਰਬੰਧਨ ਸਮੇਂ ਸੀਮਾ ਅੰਦਰ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਰੀਨਿਊ ਕਰਵਾਉਣ ਲਈ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।
- 9 ਇਹ ਰਿਪੋਰਟ ਕਾਨੂੰਨੀ ਉਦੇਸ਼ ਲਈ ਵੈਲਿਡ ਨਹੀਂ ਹੈ।  
ਸਕੂਲ ਦਾ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ 28.11.2025 ਤੱਕ ਵੈਲਿਡ ਹੈ। ਜੇਕਰ ਸਕੂਲ ਪ੍ਰਬੰਧਨ ਵੱਲੋਂ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ 31.03.2026 ਤੱਕ ਲਈ ਰੀਨਿਊ ਕਰਵਾ ਲਿਆ ਜਾਂਦਾ ਹੈ ਤਾਂ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ( ਬਿਨਾਂ ਦੁਬਾਰਾ ਇੰਸਪੈਕਸ਼ਨ ਫੀਸ ਜਮ੍ਹਾਂ ਕਰਵਾਏ) ਮਿਤੀ: 31.03.2026 ਤੱਕ ਵੈਲਿਡ ਮੰਨਿਆ ਜਾਵੇਗਾ।

ਨੱਥੀ/ ਨਕਸ਼ਾ

  
ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,  
ਪ੍ਰਾਂਤਕ ਮੰਡਲ ਭਤੇਮ ਸਾਖਾ,  
ਬਠਿੰਡਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ:

ਮਿਤੀ:

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਪ੍ਰਾਂਤਕ ਉਪ ਮੰਡਲ ਨੰ: 2 ਭਤੇਮ ਸਾਖਾ ਬਠਿੰਡਾ ਨੂੰ ਉਨ੍ਹਾਂ ਦੇ ਪੱਤਰ ਨੰ: 68 ਮਿਤੀ: 05.05.2025 ਦੇ ਸਬੰਧ ਵਿੱਚ ਭੇਜ ਕੇ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਆਪ ਦੀ ਸਿਫਾਰਿਸ਼ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਉਕਤ ਸਕੂਲ ਨੂੰ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

  
ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,  
ਪ੍ਰਾਂਤਕ ਮੰਡਲ ਭਤੇਮ ਸਾਖਾ,  
ਬਠਿੰਡਾ।



**Pin:251225148**

**ApplicationId:2512230282**

**Dated 12-Dec-2025**

**Certificate No:-PBIP-(FIRE) 2025/2559**

**Valid Till:- 11-Dec-2028 ( 3)year**



Certified that the building on the name of Doon Public Sen Sec School Kalyan Sukha ,is situated at V.P.O.Kalyan Sukha distt: Bathinda,owned by DHARAMPAL SINGH,is comprised of a total covered area of 3422 sq. mtrs and the height of the building is 12 meters including a total of 2 floor(s) and 0 basement(s).

This building is inspected by officer of Punjab Fire and Emergency Service and found compiled with the firefighting system requirements of National Building Code, 2005 / 2016, Part-4. The site inspection was carried out in the presence of DHARAMPAL SINGH . This building / site is fit for occupancy Group Educational-(B) (this occupancy group is as per National Building Code,2016 Part-4). This certificate is issued with the following conditions and this certificate is valid for 3 year.

Issued on 12-Dec-2025 at -Bathinda

**General Conditions:**

1. Owner/Occupier is responsible to maintain the Fire Fighting System and Life Safety Systems in the working condition 24X7 at all the times.
2. No Alteration / addition / Change in Covered Area, Height of Building & Type of Occupancy is allowed..
3. Owner/Occupier shall ensure the periodic Fire Safety Training on Fire Prevention & Operationing of Fire Fighting Systems to among all the occupants and maintain records of the same. Owner/Occupier shall also ensure to organise Mock Drill Biannually and maintain the records of the same
4. Officer of Punjab Fire and Emergency Service is authorised to inspect your building as per the procedure defined in the Punjab Fire and Emergency Service Act, 2024 and in case of any deficiency or irregularity is found in the Fire Fighting System & Life Safety Systems, the officer of Punjab Fire and Emergency Service may initiate the appropriate action as deemed fit under the provisions of the Punjab Fire and Emergency Service Act,2024, which may lead to imposing penalty or cancellation of Fire Safety Certificate etc.
5. Owner/Occupier shall apply for the renewal of fire safety certificate at least one month prior to expiry of this certificate.
6. In view of any Special Risks is Involved or life safety of the occupants, the approving Authority of this Fire Safety Certificate can issue Special Conditions separately through an official letter in continuation of this certificate.

\* Above Details cannot be used as ownership proof.

\* This is digitaly created cerificate, no signature is needed.

ਦਫਤਰ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ

ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ, ਉਪ ਮੰਡਲ ਨਥਾਨਾ ਐਟ ਬਠਿੰਡਾ  
ਜਿਲ੍ਹਾ ਪ੍ਰਬੰਧਕੀ ਕੰਪਲੈਕਸ ਦੂਜੀ ਮੰਜਿਲ ਕਮਰਾ ਨੰਬਰ 317-ਈ. ਬਠਿੰਡਾ  
email- sdo.nathana.bathinda@gmail.com

SAFE DRINKING WATER AND SANITATION HYGIENE CERTIFICATE

No. 234

Dated: 5/2/2025

In the Reference Doon Public Sr. Sec. School Kalyan Sukha Ref No.DPS/2024-25/1439 Nili Dated 17-12-2024. An inspection team headed by Sh. Rahul Garg (JE) under the Sub Division Inspected the Doon Public Sr. Sec. School Kalyan Sukha, District Bathinda on Dated 28-01-2025. The sample got tested from District Water Testing Laboratory, Bathinda, as per test report received vide Letter no. DWTL/BTI/2425/00676 Dated 28-01-2025, " It is Cetified Doon Public Sr. Sec. School Kalyan Sukha, District Bathinda has safe drinking Water Supply and sanitation facility as per the norms prescribed by Department of Water Supply & Sanitation Punjab."

The above Said Certificate is Valid for 1 Year with effect From 28-01-2025 to 27-01-2026.

Sub Divisional Engineer,  
Water Supply & Sanitation Sub Division,  
Nathana at Bathinda.

To  
The Principal  
Doon Public  
Sr. Sec. School Kalyan Sukha  
District Bathinda.

## ANNUAL ACADEMIC CALENDER 2025-26

<u>EXAM SCHEME</u>	<u>DATES</u>
<b>UNIT TEST-I EXAMINATION</b>	<b>21-07-2025 TO 28-07-2025</b>
<b>HALF YEARLY EXAMINATION</b>	<b>18-09-2025 TO 30-09-2025</b>
<b>UNIT TEST-II EXAMINATION</b>	<b>08-12-2025 TO 13-12-2025</b>
<b>ANNUAL EXAMINATION</b>	<b>23-02-2026 TO 05-03-2026</b>